


Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

Official United States Standards for Grain



AD-33 Bookplate
(1-43)

NATIONAL

**A
G
R
I
C
U
L
T
U
R
A
L**



LIBRARY

a SB189
U5
1988
copy 4

USDA, National Agricultural Library
NAL Bldg
10301 Baltimore Blvd
Beltsville, MD 20705-2351

7 CFR PART 810

OFFICIAL UNITED STATES STANDARDS
FOR GRAIN

Federal Grain Inspection Service
U.S. Department of Agriculture
P.O. Box 96454
Washington, D.C. 20090-6454

May 1, 1988

U.S. DEPT. OF AGRICULTURE
NATIONAL AGRICULTURAL LIBRARY

JUL 27 1988

CATALOGING - PREP.

Table of Contents

SUBPART A - GENERAL PROVISIONS

<u>Section</u>	<u>Terms Defined</u>	<u>Page</u>
810.101	Grains for which standards are established.....	A-1
810.102	Definition of other terms.....	A-1
<u>Principles Governing the Application of Standards</u>		
810.103	Basis of determination.....	A-2
810.104	Percentages.....	A-2
<u>Grades, Grade Requirements, and Grade Designations</u>		
810.105	Grades and grade requirements.....	A-3
810.106	Grade designations.....	A-3
<u>Special Grades, Special Grade Requirements, and Special Grade Designations</u>		
810.107	Special grades and special grade requirements.....	A-4
810.108	Special grade designations.....	A-5

SUBPART B - U.S. STANDARDS FOR BARLEY

<u>Section</u>	<u>Terms Defined</u>	<u>Page</u>
810.201	Definition of barley.....	B-1
810.202	Definition of other terms.....	B-1
<u>Principles Governing the Application of Standards</u>		
810.203	Basis of determination.....	B-4
<u>Grades and Grade Requirements</u>		
810.204	Grades and grade requirements for the subclasses Six-rowed Malting barley and Six-rowed Blue Malting barley.....	B-5
810.205	Grades and grade requirements for the subclass Two-rowed Malting barley.....	B-6
810.206	Grades and grade requirements for the subclasses Six-rowed barley Two-rowed barley, and the class Barley.....	B-7
<u>Special Grades and Special Grade Requirements</u>		
810.207	Special grades and special grade requirements.....	B-8

SUBPART C - U.S. STANDARDS FOR CORN

Terms Defined

810.401	Definition of corn.....	C-1
810.402	Definition of other terms.....	C-1

Principles Governing the Application of Standards

810.403	Basis of determination.....	C-2
---------	-----------------------------	-----

Grades and Grade Requirements

810.404	Grades and grade requirements for corn.....	C-3
---------	---	-----

Special Grades and Special Grade Requirements

810.405	Special grades and special grade requirements.....	C-4
---------	--	-----

SUBPART D - U.S. STANDARDS FOR FLAXSEED

Terms Defined

810.601	Definition of flaxseed.....	D-1
810.602	Definition of other terms.....	D-1

Principles Governing the Application of Standards

810.603	Basis of determination.....	D-1
---------	-----------------------------	-----

Grades and Grade Requirements

810.604	Grades and grade requirements for flaxseed.....	D-2
---------	---	-----

SUBPART E - U.S. STANDARDS FOR MIXED GRAIN

Terms Defined

810.801	Definition of mixed grain.....	E-1
801.802	Definition of other terms.....	E-1

Principles Governing the Application of Standards

810.803	Basis of determination.....	E-1
---------	-----------------------------	-----

Grades and Grade Requirements

810.804	Grades and grade requirements for mixed grain.....	E-2
---------	--	-----

Special Grades and Special Grade Requirements

810.805	Special grades and special grade requirements.....	E-2
---------	--	-----

SUBPART F - U.S. STANDARDS FOR OATS

Terms Defined

810.1001	Definition of oats.....	F-1
810.1002	Definition of other terms.....	F-1

Principles Governing the Application of Standards

810.1003	Basis of determination.....	F-2
----------	-----------------------------	-----

Grades and Grade Requirements

810.1004	Grades and grade requirements for oats.....	F-3
----------	---	-----

Special Grades and Special Grade Requirements

810.1005	Special grades and special grade requirements.....	F-4
----------	--	-----

SUBPART G - U.S. STANDARDS FOR RYE

Terms Defined

810.1201	Definition of rye.....	G-1
810.1202	Definition of other terms.....	G-1

Principles Governing the Application of Standards

810.1203	Basis of determination.....	G-2
----------	-----------------------------	-----

Grades and Grade Requirements

810.1204	Grades and grade requirements for rye.....	G-3
----------	--	-----

Special Grades and Special Grade Requirements

810.1205	Special grades and special grade requirements.....	G-4
----------	--	-----

SUBPART H - U.S. STANDARDS FOR SORGHUM

Terms Defined

810.1401	Definition of sorghum.....	H-1
810.1402	Definition of other terms.....	H-1

Principles Governing the Application of Standards

810.1403 Basis of determination..... H-2

Grades and Grade Requirements

810.1404 Grades and grade requirements for sorghum..... H-3

Special Grades and Special Grade Requirements

810.1405 Special grades and special grade requirements..... H-4

SUBPART I - U.S. STANDARDS FOR SOYBEANS

Terms Defined

810.1601 Definition of soybeans..... I-1

810.1602 Definition of other terms..... I-1

Principles Governing Application of Standards

810.1603 Basis of determination..... I-2

Grades and Grade Requirements

810.1604 Grades and grade requirements for soybeans..... I-3

Special Grades and Special Grade Requirements

810.1605 Special grades and special grade requirements..... I-4

SUBPART J - U.S. STANDARDS FOR SUNFLOWER SEED

Terms Defined

810.1801 Definition of sunflower seed..... J-1

810.1802 Definition of other terms..... J-1

Principles Governing the Application of Standards

810.1803 Basis of determination..... J-1

Grades and Grade Requirements

810.1804 Grades and grade requirements for sunflower seed..... J-2

SUBPART K - U.S. STANDARDS FOR TRITICALE

Terms Defined

810.2001	Definition of triticales.....	K-1
810.2002	Definition of other terms.....	K-1

Principles Governing the Application of Standards

810.2003	Basis of determination.....	K-2
----------	-----------------------------	-----

Grades and Grade Requirements

810.2004	Grades and grade requirements for triticales.....	K-3
----------	---	-----

Special Grades and Special Grade Requirements

810.2005	Special grades and special grade requirements.....	K-4
----------	--	-----

SUBPART L - U.S. STANDARDS FOR WHEAT

Terms Defined

810.2201	Definition of wheat.....	L-1
810.2202	Definition of other terms.....	L-1

Principles Governing the Application of Standards

810.2203	Basis of determination.....	L-3
----------	-----------------------------	-----

Grades and Grade Requirements

810.2204	Grades and grade requirements for wheat.....	L-4
----------	--	-----

Special Grades and Special Grade Requirements

810.2205	Special grades and special grade requirements.....	L-5
----------	--	-----



United States
Department of
Agriculture

Federal Grain
Inspection
Service

Official United States Standards for Grain

General Provisions



SUBPART A - GENERAL PROVISIONS

Note: Compliance with the provisions of these standards does not excuse failure to comply with the provisions of the Federal Food, Drug, and Cosmetic Act, or other Federal Laws.

Terms Defined

§ 810.101 Grains for which standards are established.

Grain refers to barley, corn, flaxseed, mixed grain, oats, rye, sorghum, soybeans, sunflower seed, triticale, and wheat. Standards for these food grains, feed grains, and oilseeds are established under the United States Grain Standards Act.

§ 810.102 Definition of other terms.

Unless otherwise stated, the definitions in this section apply to all grains. All other definitions unique to a particular grain are contained in the appropriate subpart for that grain.

(a) Distinctly low quality. Grain that is obviously of inferior quality because it is in an unusual state or condition, and that cannot be graded properly by use of other grading factors provided in the standards. Distinctly low quality includes the presence of any objects too large to enter the sampling device; i.e., large stones, wreckage, or similar objects.

(b) Moisture. Water content in grain as determined by an approved device according to procedures prescribed in FGIS instructions.

(c) Stones. Concreted earthy or mineral matter and other substances of similar hardness that do not disintegrate in water.

(d) Test weight per bushel. The weight per Winchester bushel (2,150.42 cubic inches) as determined using an approved device according to procedures prescribed in FGIS instructions. Test weight per bushel in the standards for corn, mixed grain, oats, sorghum, and soybeans, is determined on the original sample. Test weight per bushel in the standards for barley, flaxseed, rye, sunflower seed, triticale, and wheat is determined after mechanically cleaning the original sample. Test weight per bushel is recorded in whole and tenth pounds to the nearest tenth pound for wheat, rye, and triticale. Test weight per bushel for all other grains is recorded in whole and half pounds, with a fraction of a half pound disregarded.

(e) Whole kernels. Grain with 1/4 or less of the kernel removed.

Principles Governing the Application of Standards

§ 810.103 Basis of determination.

(a) Distinctly low quality. The determination of distinctly low quality is made on the basis of the lot as a whole at the time of sampling when a condition exists that may or may not appear in the representative sample and/or the sample as a whole.

(b) Certain quality determinations. Each determination of rodent pellets, bird droppings, other animal filth, broken glass, castor beans, cockleburrs, crotalaria seeds, dockage, garlic, live insect infestation, large stones, moisture, temperature, an unknown foreign substance(s), and a commonly recognized harmful or toxic substance(s) is made on the basis of the sample as a whole. When a condition exists that may not appear in the representative sample, the determination may be made on the basis of the lot as a whole at the time of sampling according to procedures prescribed in FGIS instructions.

(c) All other determinations. The basis of determination for all other factors is contained in the individual standards.

§ 810.104 Percentages.

(a) Rounding. Percentages are determined on the basis of weight and are rounded as follows:

(1) When the figure to be rounded is followed by a figure greater than or equal to 5, round to the next higher figure; e.g., report 6.36 as 6.4, 0.35 as 0.4, and 2.45 as 2.5.

(2) When the figure to be rounded is followed by a figure less than 5, retain the figure; e.g., report 8.34 as 8.3, and 1.22 as 1.2.

(b) Recording. The percentage of splits in soybeans, and the percentage of dockage in barley, flaxseed, rye, and sorghum are reported in whole percents with fractions of a percent being disregarded. Dockage in triticale is reported in whole and half percent with a fraction less than one-half percent being disregarded. Dockage in wheat is reported in whole and tenth percent to the nearest tenth percent. Foreign material in sunflower seed is reported to the nearest one-half percent. Ranges of sunflower seed

foreign material are reported as follows: 0.0 to 0.24 is reported as 0.0 percent, 0.25 to 0.74 as 0.5 percent, 0.75 to 1.24 as 1.0 percent, and the like. Foreign material and fines in mixed grain is reported in whole percent. The percentage of smut in barley and ergot are reported to the nearest hundredth percent. The percentage when determining the identity of all grains is reported to the nearest whole percent. Also reported to the nearest whole percent are the classes and subclasses in wheat; flint corn; flint and dent corn; waxy corn; classes in barley; and the percentage of each kind of grain in mixed grain. Plump barley shall be expressed in terms of the range in which it falls. Ranges shall be: Below 50 percent, 50 to 55 percent, 56 to 60 percent, 61 to 65 percent, and the like. All other percentages are reported in tenths percent.

Grades, Grade Requirements, and Grade Designations

§ 810.105 Grades and grade requirements.

The grades and grade requirements for each grain (except mixed grain) are shown in the grade table(s) of the respective standards. Mixed grain grade requirements are not presented in tabular form.

§ 810.106 Grade designations.

(a) Grade designations for grain. The grade designations include in the following order:

- (1) The letters "U.S."
- (2) The abbreviation "No." and the number of the grade or the words "Sample grade";
- (3) When applicable, the subclass;
- (4) The class or kind of grain;
- (5) When applicable, the special grade(s) except in the case of bright, extra heavy, and heavy oats or plump rye, the special grades, "bright", "extra heavy", "heavy" and "plump" will precede the word "oats" or "rye" as applicable; and
- (6) When applicable, the word "dockage" together with the percentage thereof.

When applicable, the remarks section of the certificate will include in the order of predominance; in the case of a mixed class, the name and approximate percentage of the classes, in

in the case of sunflower seed, the percentage of admixture; in the case of mixed grain, the grains present in excess of 10.0 percent of the mixture and when applicable, the words Other grains followed by a statement of the percentage of the combined quantity of those kinds of grains, each of which is present in a quantity less than 10.0 percent; in the case of barley, if requested, the word "plump" with the percentage range thereof; in the case of wheat, if requested, the percentage of protein content.

(b) Optional grade designations.

In addition to paragraph (a) of this Section, grain may be certificated under certain conditions as described in FGIS instructions when supported by official analysis, as "U.S. No. 2 or better (type of grain)", "U.S. No. 3 or better (type of grain)", and the like.

Special Grades, Special Grade Requirements, and
Special Grade Designations

§ 810.107 Special grades and special grade requirements.

A special grade serves to draw attention to a special factor or condition present in the grain and, when applicable, is supplemental to the grade assigned under § 810.106. Except for the special grade "infested," the special grades are identified and requirements are established in each respective grain standards.

(a) Infested wheat, rye and triticale. Tolerances for live insects responsible for infested wheat, rye, and triticale are defined according to sampling designations as follows:

(1) Representative sample. The representative sample consists of the work portion, and the file sample if needed and when available. These grains will be considered infested if the representative sample (other than shiplots) contains two or more live weevils, or one live weevil and one or more other live insects injurious to stored grain, or two or more live insects injurious to stored grain.

(2) Lot as a whole (stationary). The lot as a whole is considered infested when two or more live weevils, or one live weevil and one or more other live insects injurious to stored grain, or two or more other live insects injurious to stored grain are found in, on, or about the lot (excluding submitted samples and shiplots).

(3) Sample as a whole (continuous loading/unloading of shiplots and bargelots). The minimum sample size for bargelots and shiplots is 500 grams per each 2,000 bushels of grain. The sample as a whole is considered infested when a component (as defined in FGIS instructions) contains two or more live weevils, or one live weevil and one or more other live insects injurious to stored grain, or two or more other live insects injurious to stored grain.

(b) Infested barley, corn, oats, sorghum, soybeans, sunflower seed, and mixed grain. Tolerances for live insects responsible for infested barley, corn, oats, sorghum, soybeans, sunflower seed, and mixed grain are defined according to sampling designations as follows:

(1) Representative sample. The representative sample consists of the work portion, and the file sample if needed and when available. These grains will be considered infested if the representative sample (other than shiplots) contains two or more live weevils, or one live weevil and five or more other live insects injurious to stored grain, or ten or more other live insects injurious to stored grain.

(2) Lot as a whole (stationary). The lot as a whole is considered infested when two or more live weevils, or one live weevil and five or more other live insects injurious to stored grain, or ten or more other live insects injurious to stored grain are found in, on, or about the lot (excluding submitted samples and shiplots).

(3) Sample as a whole (continuous loading/unloading of shiplots and bargelots). The minimum sample for shiplots and bargelots is 500 grams per each 2,000 bushels of grain. The sample as a whole is considered infested when a component (as defined in FGIS instructions) contains two or more live weevils or one live weevil and five or more other live insects injurious to stored grain, or ten or more other live insects injurious to stored grain.

§ 810.108 Special grade designations.

Special grade designations are shown as prescribed in § 810.106. Multiple special grade designations will be listed in alphabetical order. In the case of treated wheat, the official certificate shall show whether the wheat has been scoured, limed, washed, sulfured, or otherwise treated.



United States
Department of
Agriculture

Federal Grain
Inspection
Service

Official United States Standards for Grain

United States Standards for Barley



SUBPART B - UNITED STATES STANDARDS FOR BARLEY

Terms Defined

§ 810.201 Definition of barley.

Grain that, before the removal of dockage, consists of 50 percent or more of whole kernels of cultivated barley (Hordeum vulgare L.) and not more than 25 percent of other grains for which standards have been established under the United States Grain Standards Act. The term "barley" as used in these standards does not include hull-less barley or black barley.

§ 810.202 Definition of other terms.

(a) Black barley. Barley with black hulls.

(b) Broken kernels. Barley with more than 1/4 of the kernel removed.

(c) Classes. There are three classes for barley: Six-rowed barley, Two rowed barley, and Barley.

(1) Six-rowed barley. Barley of the six-rowed type with white hulls that contains not more than 10.0 percent of Two-rowed barley. This class is divided into the following three subclasses:

(i) Six-rowed Malting barley. Six-rowed barley of a suitable malting type that has 90.0 percent or more of kernels with white aleurone layers; that contains not more than 1.9 percent of injured-by-frost kernels that may include not more than 0.4 percent of frost-damaged kernels; not more than 0.2 percent of injured-by-heat kernels that may include not more than 0.1 percent of heat-damaged kernels; that is not blighted, ergoty, garlicky, infested, or smutty; and that otherwise meets the grade requirements of the subclass Six-rowed Malting barley; and may contain unlimited amounts of injured-by-mold kernels; however, mold-damaged kernels are scored as damaged kernels and against sound barley limits.

(ii) Six-rowed Blue Malting barley. Six-rowed barley of a suitable malting type that has 90.0 percent or more of kernels with blue aleurone layers; that contains not more than 1.9 percent of injured-by-frost kernels that may include not more than 0.4 percent of frost-damaged kernels; not more than 0.2 percent of injured-by-heat kernels that may include not more than 0.1 percent of heat-damaged kernels; that is not blighted, ergoty, garlicky, infested, or smutty; and that otherwise meets

the grade requirements of the subclass Six-rowed Blue Malting barley; and may contain unlimited amounts of injured-by-mold kernels; however, mold-damaged kernels are scored as damaged kernels and against sound barley limits.

(iii) Six-rowed barley. Any barley of the class Six-rowed barley that does not meet the requirements of the subclass Six-rowed Malting barley or Six-rowed Blue Malting barley.

(2) Two-rowed barley. Barley of the two-rowed type with white hulls that contains not more than 10.0 percent of Six-rowed barley. This class is divided into the following two subclasses:

(i) Two-rowed Malting barley. Two-rowed barley of a suitable malting type that contains not more than 1.9 percent of injured-by-frost kernels that may include not more than 0.4 percent frost-damaged kernels; not more than 1.9 percent of injured-by-mold kernels that may include not more than 0.4 percent of mold-damaged kernels; and not more than 0.2 percent of injured-by-heat kernels that may include not more than 0.1 percent of heat-damaged kernels; that is not blighted, ergoty, garlicky, infested, or smutty; and that otherwise meets the grade requirements of the subclass Two-rowed Malting barley. Injured-by-frost kernels and injured-by-mold kernels are not scored against sound barley.

(ii) Two-rowed barley. Two-rowed barley that does not meet the requirements of the subclass Two-rowed Malting barley.

(3) Barley. Barley that does not meet the requirements for the classes Six-rowed barley or Two-rowed barley.

(d) Damaged kernels. Kernels, pieces of barley kernels, other grains, and wild oats that are badly ground-damaged, badly weather-damaged, diseased, frost-damaged, germ-damaged, heat-damaged, injured-by-heat, insect-bored, mold-damaged, sprout-damaged, or otherwise materially damaged.

(e) Dockage. All matter other than barley that can be removed from the original sample by use of an approved device according to procedures prescribed in FGIS instructions. Also, underdeveloped, shriveled, and small pieces of barley kernels removed in properly separating the material other than barley and that cannot be recovered by properly rescreening or recleaning.

(f) Foreign material. All matter other than barley, other grains, and wild oats that remains in the sample after removal of dockage.

(g) Frost-damaged kernels. Kernels, pieces of barley kernels, other grains, and wild oats that are badly shrunken and distinctly discolored black or brown by frost.

(h) Germ-damaged kernels. Kernels, pieces of barley kernels, other grains, and wild oats that have dead or discolored germ ends.

(i) Heat-damaged kernels. Kernels, pieces of barley kernels, other grains, and wild oats that are materially discolored and damaged by heat.

(j) Injured-by-frost kernels. Kernels, and pieces of barley kernels that are distinctly indented, immature or shrunken in appearance or that are light green in color as a result of frost before maturity.

(k) Injured-by-heat kernels. Kernels, pieces of barley kernels, other grains, and wild oats that are slightly discolored as a result of heat.

(l) Injured-by-mold kernels. Kernels and pieces of barley kernels containing slight evidence of mold.

(m) Mold-damaged kernels. Kernels, pieces of barley kernels, other grains, and wild oats that are weathered and contain considerable evidence of mold.

(n) Other grains. Black barley, corn, cultivated buckwheat, einkorn, emmer, flaxseed, guar, hull-less barley, nongrain sorghum, oats, Polish wheat, popcorn, poulard wheat, rice, rye, safflower, sorghum, soybeans, spelt, sunflower seed, sweet corn, triticale, and wheat.

(o) Plump barley. Barley that remains on top of a $6/64 \times 3/4$ slotted-hole sieve after sieving according to procedures prescribed in FGIS instructions.

(p) Sieves.

(1) $5/64 \times 3/4$ slotted-hole sieve. A metal sieve 0.032 inch thick with slotted perforations $0.0781 (5/64)$ inch by $0.750 (3/4)$ inch.

(2) $5.5/64 \times 3/4$ slotted-hole sieve. A metal sieve 0.032 inch thick with slotted perforations $0.0895 (5.5/64)$ inch by $0.750 (3/4)$ inch.

(3) $6/64 \times 3/4$ slotted-hole sieve. A metal sieve 0.032 inch thick with slotted perforations $0.0937 (6/64)$ inch by $0.750 (3/4)$ inch.

(q) Skinned and broken kernels. Barley kernels that have one-third or more of the hull removed, or that the hull is loose or missing over the germ, or broken kernels, or whole kernels that have a part or all of the germ missing.

(r) Sound barley. Kernels and pieces of barley kernels that are not damaged, as defined under (d) of this section.

(s) Stained barley. Barley that is badly stained or materially weathered.

(t) Suitable malting type. Varieties of malting barley that are recommended by the American Malting Barley Association as being suitable for malting purposes. The recommended varieties are listed in FGIS instructions.

(u) Thin barley. Six-rowed barley which passes through a 5/64 x 3/4 slotted-hole sieve and two-rowed barley which passes through a 5.5/64 x 3/4 slotted-hole sieve after sieving according to procedures prescribed in FGIS instructions.

(v) Wild oats. Seeds of Avena fatua L. and A. sterilis L..

Principles Governing the Application of Standards

§ 810.203 Basis of determination.

All other determinations. Each determination of heat-damaged kernels, injured-by-heat kernels, and white or blue aleurone layers in Six-rowed barley is made on pearled, dockage-free barley. Other determinations not specifically provided for under the General Provisions are made on the basis of the grain when free from dockage, except the determination of odor is made on either the basis of the grain as a whole or the grain when free from dockage.

§ 810.204 Grades and grade requirements for the subclasses Six-rowed Malting barley and Six-rowed Blue Malting barley.

		Minimum limits of-			Maximum limits of --									
Grade	Test	Suitable	:	:	:	:	:	:	:	:	:	:	:	:
	weight	malting	:	Sound	:	Damaged	:	Foreign	:	Other	:	Skinned	:	Thin
	per	type	:	barley	:	kernel	:	material	:	Grains	:	broken	:	Barley
	bushel	:	:	:	:	:	:	:	:	:	:	kernel	:	:
	:(pounds): (percent): (percent): (percent): (percent): (percent): (percent): (percent): (percent): (percent): (percent): (percent): (percent): (percent):		:	:	:	:	:	:	:	:	:	:	:	:
U.S. No. 1	47.0	95.0	:	97.0	:	2.0	:	1.0	:	2.0	:	4.0	:	7.0
U.S. No. 2	45.0	95.0	:	94.0	:	3.0	:	2.0	:	3.0	:	6.0	:	10.0
U.S. No. 3	43.0	95.0	:	90.0	:	4.0	:	3.0	:	5.0	:	8.0	:	15.0

1/Injured-by-frost kernels and injured-by-mold kernels are not considered damaged kernels or scored against sound barley.

Note: Six-rowed barley that meets the requirements of U.S. No. 1 to U.S. No. 3, inclusive, for the subclasses Six-rowed Malting barley and Six-rowed Blue Malting barley is classified and graded according to the requirements in this section. Otherwise, it will be graded according to the requirements in § 810.206.

§ 810.205 Grades and grade requirements for the subclass Two-rowed Malting barley.

		Minimum limits of--			Maximum limits of--		
Grade	Test	Suitable	Sound	Wild	Foreign	Skinned	Thin
	weight	malting	barley	oats	material	and	barley
	per	types	:	:	:	broken	:
	bushel	:	:	:	:	kernels	:
	(pounds)	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)
U.S. No. 1 Choice	50.0	97.0	98.0	1.0	0.5	5.0	5.0
U.S. No. 1	48.0	97.0	98.0	1.0	0.5	7.0	7.0
U.S. No. 2	48.0	95.0	96.0	2.0	1.0	10.0	10.0
U.S. No. 3	48.0	95.0	93.0	3.0	2.0	10.0	10.0

1/Injured-by-frost kernels and injured-by-mold kernels are not scored against sound barley.

Note: Two-rowed barley that meets the requirements of U.S. No. 1 Choice to U.S. No. 3, inclusive, for the subclass Two-rowed Malting barley is classified and graded according to the requirements in this section. Otherwise, it will be graded according to the requirements in § 810.206.

§ 810.206 Grades and grade requirements for the subclasses Six-rowed barley, Two-rowed barley and the class Barley

: Minimum limits of --: Maximum limits of --									
Grade	Test	Sound	Damaged	Heat-	Foreign	Broken	Thin		
	weight	barley	kernel	damaged	material	kernel	barley		
	per	:	:	kernel	:	:	:		
	bushel	:	:	:	:	:	:		
	(pounds)	:(percent):	:(percent):	:(percent):	:(percent):	:(percent):	:(percent):		
U.S. No. 1	47.0	97.0	2.0	0.2	1.0	4.0	10.0		
U.S. No. 2	45.0	94.0	4.0	0.3	2.0	8.0	15.0		
U.S. No. 3	43.0	90.0	6.0	0.5	3.0	12.0	25.0		
U.S. No. 42/	40.0	85.0	8.0	1.0	4.0	18.0	35.0		
U.S. No. 5	36.0	75.0	10.0	3.0	5.0	28.0	75.0		
U.S. Sample grade:									
U.S. Sample grade shall be barley that:									
(a)	Does not meet the requirements for the grades U.S. Nos. 1, 2, 3, 4, or 5; or								
(b)	Contains 8 or more stones or any number of stones which have an aggregate weight in excess of 0.2 percent of the sample weight, 2 or more pieces of glass, 3 or more crotalaria seeds (<u>Crotalaria</u> spp.), 2 or more castor beans (<u>Ricinus communis</u> L.), 4 or more particles of an unknown foreign substance(s) or a commonly recognized harmful or toxic substance(s), 8 or more cocklebur (<u>Xanthium</u> spp.) or similar seeds singly or in combination, 10 or more rodent pellets, bird droppings, or equivalent quantity of other animal filth per 1-1/8 to 1-1/4 quarts of barley; or								
(c)	Has a musty, sour, or commercially objectionable foreign odor (except smut or garlic odor); or								
(d)	Is heating or otherwise of distinctly low quality.								

1/Includes heat-damaged kernels. Injured-by-frost kernels and injured-by-mold kernels are not considered damaged kernels.

2/Barley that is badly stained or materially weathered shall be graded not higher than U.S. No. 4.

Special Grades and Special Grade Requirements

§ 810.207 Special grades and special grade requirements.

(a) Blighted barley. Barley that contains more than 4.0 percent of fungus-damaged and/or mold-damaged kernels.

(b) Ergoty barley. Barley that contains more than 0.10 percent ergot.

(c) Garlicky barley. Barley that contains three or more green garlic bulblets, or an equivalent quantity of dry or partly dry bulblets in 500 grams of barley.

(d) Smutty barley. Barley that has kernels covered with smut spores to give a smutty appearance in mass, or which contains more than 0.20 percent smut balls.



United States
Department of
Agriculture

Federal Grain
Inspection
Service

Official United States Standards for Grain

United States Standards for Corn



SUBPART C - UNITED STATES STANDARDS FOR CORN

Terms Defined

§ 810.401 Definition of corn.

Grain that consists of 50 percent or more of whole kernels of shelled dent corn and/or shelled flint corn (Zea mays L.) and not more than 10.0 percent of other grains for which standards have been established under the United States Grain Standards Act.

§ 810.402 Definition of other terms.

(a) Broken corn. All matter that passes readily through a 12/64 round-hole sieve and over a 6/64 round-hole sieve according to procedures prescribed in FGIS instructions.

(b) Broken corn and foreign material. All matter that passes readily through a 12/64 round-hole sieve and all matter other than corn that remains in the sieved sample after sieving according to procedures prescribed in FGIS instructions.

(c) Classes. There are three classes for corn: Yellow corn, White corn, and Mixed corn.

(1) Yellow corn. Corn that is yellow-kerneled and contains not more than 5.0 percent of corn of other colors. Yellow kernels of corn with a slight tinge of red are considered yellow corn.

(2) White corn. Corn that is white-kerneled and contains not more than 2.0 percent of corn of other colors. White kernels of corn with a slight tinge of light straw or pink color are considered white corn.

(3) Mixed corn. Corn that does not meet the color requirements for either of the classes Yellow corn or White corn and includes white-capped Yellow corn.

(d) Damaged kernels. Kernels and pieces of corn kernels that are badly ground-damaged, badly weather-damaged, diseased, frost-damaged, germ-damaged, heat-damaged, insect-bored, mold-damaged, sprout-damaged, or otherwise materially damaged.

(e) Foreign material. All matter that passes readily through a 6/64 round-hole sieve and all matter other than corn that remains on top of the 12/64 round-hole sieve according to procedures prescribed in FGIS instructions.

(f) Heat-damaged kernels. Kernels and pieces of corn kernels that are materially discolored and damaged by heat.

(g) Sieve.

(1) 12/64 round-hole sieve. A metal sieve 0.032 inch thick with round perforations 0.1875 (12/64) inch in diameter which are 1/4 inch from center to center. The perforations of each row shall be staggered in relation to the adjacent row.

(2) 6/64 round-hole sieve. A metal sieve 0.032 inch thick with round perforations 0.0937 (6/64) inch in diameter which are 5/32 inch from center to center. The perforations of each row shall be staggered in relation to the adjacent row.

Principles Governing the Application of Standards

§ 810.403 Basis of determination.

Each determination of class, damaged kernels, heat-damaged kernels, waxy corn, flint corn, and flint and dent corn is made on the basis of the grain after the removal of the broken corn and foreign material. Other determinations not specifically provided for under the general provisions are made on the basis of the grain as a whole, except the determination of odor is made on either the basis of the grain as a whole or the grain when free from broken corn and foreign material.

Grades and Grade Requirements

§ 810.404 Grades and grade requirements for corn.

Grade	Minimum test weight per bushel (pounds)	Maximum limits of--			
		Damaged kernels	Heat damaged kernels (percent)	Broken corn and foreign material (percent)	Broken corn and foreign material (percent)
U.S. No. 1	56.0	0.1	3.0	2.0	
U.S. No. 2	54.0	0.2	5.0	3.0	
U.S. No. 3	52.0	0.5	7.0	4.0	
U.S. No. 4	49.0	1.0	10.0	5.0	
U.S. No. 5	46.0	3.0	15.0	7.0	
U.S. Sample grade					
U.S. Sample grade is corn that:					
(a) Does not meet the requirements for the grades U.S. Nos. 1, 2, 3, 4, or 5; or					
(b) Contains 8 or more stones which have an aggregate weight in excess of 0.20 percent of the sample weight, 2 or more pieces of glass, 3 or more crotalaria seeds (<i>Crotalaria</i> spp.), 2 or more castor beans (<i>Ricinus communis</i> L.), 4 or more particles of an unknown foreign substance(s) or a commonly recognized harmful or toxic substance(s), 8 or more cockleburrs (<i>Xanthium</i> spp.) or similar seeds singly or in combination, or animal filth in excess of 0.20 percent in 1000 grams; or					
(c) Has a musty, sour, or commercially objectionable foreign odor; or					
(d) Is heating or otherwise of distinctly low quality.					

Special Grades and Special Grade Requirements

§ 810.405 Special grades and special grade requirements.

(a) Flint corn. Corn that consists of 95 percent or more of flint corn.

(b) Flint and dent corn. Corn that consists of a mixture of flint and dent corn containing more than 5.0 percent but less than 95 percent of flint corn.

(c) Waxy corn. Corn that consists of 95 percent or more waxy corn, according to procedures prescribed in FGIS instructions.



United States
Department of
Agriculture

Federal Grain
Inspection
Service

Official United States Standards for Grain

United States Standards for Flaxseed



SUBPART D - UNITED STATES STANDARDS FOR FLAXSEED

Terms Defined

§ 810.601 Definition of flaxseed.

Grain that, before the removal of dockage, consists of 50 percent or more of common flaxseed (Linum usitatissimum L.) and not more than 20 percent of other grains for which standards have been established under the United States Grain Standards Act and which, after the removal of dockage, contains 50 percent or more of whole flaxseed.

§ 810.602 Definition of other terms.

(a) Damaged kernels. Kernels and pieces of flaxseed kernels that are badly ground-damaged, badly weather-damaged, diseased, frost-damaged, germ-damaged, heat-damaged, insect-bored, mold-damaged, sprout-damaged, or otherwise materially damaged.

(b) Dockage. All matter other than flaxseed that can be removed from the original sample by use of an approved device according to procedures prescribed in FGIS instructions. Also, underdeveloped, shriveled, and small pieces of flaxseed kernels removed in properly separating the material other than flaxseed and that cannot be recovered by properly rescreening or recleaning.

(c) Heat-damaged kernels. Kernels and pieces of flaxseed kernels that are materially discolored and damaged by heat.

(d) Other grains. Barley, corn, cultivated buckwheat, einkorn, emmer, guar, hull-less barley, nongrain sorghum, oats, Polish wheat, popcorn, poulard wheat, rice, rye, safflower, sorghum, soybeans, spelt, sunflower seed, sweet corn, triticale, wheat, and wild oats.

Principles Governing the Application of Standards

§ 810.603 Basis of determination.

Other determinations not specifically provided for under the general provisions are made on the basis of the grain when free from dockage, except the determination of odor is made on either the basis of the grain as a whole or the grain when free from dockage.

Grades and Grade Requirements

§ 810.604 Grades and grade requirements for flaxseed.

Grade	Minimum test weight per bushel (pounds)	Maximum limits of Damaged kernels	
		Heat damaged kernels (percent)	Total kernels (percent)
U.S. No. 1	49.0	0.2	10.0
U.S. No. 2	47.0	0.5	15.0
U.S. Sample grade			
U.S. Sample grade is flaxseed that:			
(a)	Does not meet the requirements for the grades U.S. Nos. 1 or 2; or		
(b)	Contains 8 or more stones which have an aggregate weight in excess of 0.2 percent of the sample weight, 2 or more pieces of glass, 3 or more crotalaria seeds (<u>Crotalaria</u> spp.), 2 or more castor beans (<u>Ricinus communis</u> L.), 4 or more particles of an unknown foreign substance(s) or a commonly recognized harmful or toxic substance(s), 10 or more rodent pellets, bird droppings, or equivalent quantity of other animal filth per 1-1/8 to 1-1/4 quarts of flaxseed; or		
(c)	Has a musty, sour, or commercially objectionable foreign odor (except smut or garlic odor), or		
(d)	Is heating or otherwise of distinctly low quality.		



United States
Department of
Agriculture

Federal Grain
Inspection
Service

Official United States Standards for Grain

United States Standards for Mixed Grain



SUBPART E - UNITED STATES STANDARDS FOR MIXED GRAIN

Terms Defined

§ 810.801 Definition of mixed grain.

Any mixture of grains for which standards have been established under the United States Grain Standards Act, provided that such mixture does not come within the requirements of any of the standards for such grains; and that such mixture consists of 50 percent or more of whole kernels of grain and/or whole or broken soybeans which will not pass through a 5/64 triangular-hole sieve and/or whole flaxseed that passes through such a sieve after sieving according to procedures prescribed in FGIS instructions.

§ 810.802 Definition of other terms.

(a) Damaged kernels. Kernels and pieces of grain kernels for which standards have been established under the Act, that are badly ground-damaged, badly weather-damaged, diseased, frost-damaged, germ-damaged, heat-damaged, insect-bored, mold-damaged, sprout-damaged, or otherwise materially damaged.

(b) Foreign material and fines. All matter other than whole flaxseed that passes through a 5/64 triangular-hole sieve, and all matter other than grains for which standards have been established under the Act, that remains in the sieved sample.

(c) Grades. U.S. Mixed Grain, or U.S. Sample grade Mixed Grain, and special grades.

(d) Heat-damaged kernels. Kernels and pieces of grain kernels for which standards have been established under the Act, that are materially discolored and damaged by heat.

(e) Sieve. 5/64 triangular-hole sieve. A metal sieve 0.032 inch thick with equilateral triangular perforations the inscribed circles of which are 0.0781 (5/64) inch in diameter.

Principles Governing the Application of Standards

§ 810.803 Basis of determination.

Each determination of damaged and heat-damaged kernels, and the percentage of each kind of grain in the mixture is made on the basis of the sample after removal of foreign material and fines. Other determinations not specifically provided for under the general provisions are made on the basis of the grain as a whole, except the determination of odor is made on either the basis of the grain as a whole or the grain when free from foreign material and fines.

Grades and Grade Requirements

§ 810.804 Grades and grade requirements for mixed grain.

(a) U.S. Mixed Grain (grade). Mixed grain with not more than 15.0 percent of damaged kernels, and not more than 3.0 percent of heat-damaged kernels, and that otherwise does not meet the requirements for the grade U.S. Sample grade Mixed Grain.

(b) U.S. Sample grade Mixed Grain. Mixed grain that:

(1) Does not meet the requirements for the grade U.S. Mixed Grain; or

(2) Contains more than 16.0 percent moisture; or

(3) Contains 8 or more stones that have an aggregate weight in excess of 0.2 percent of the sample weight, 2 or more pieces of glass, 3 or more *Crotalaria* seeds (*Crotalaria* spp.), 2 or more castor beans (*Ricinus communis* L.), 8 or more cockleburs (*Xanthium* spp.) or similar seeds singly or in combination, 4 or more pieces of an unknown foreign substance(s) or a recognized harmful or toxic substance(s), 10 or more rodent pellets, bird droppings, or an equivalent quantity of other animal filth per 1,000 grams of mixed grain; or

(4) Is musty, sour, or heating; or

(5) Has any commercially objectionable foreign odor except smut or garlic; or

(6) Is otherwise of distinctly low quality.

Special Grades and Special Grade Requirements

§ 810.805 Special grades and special grade requirements.

(a) Blighted mixed grain. Mixed grain in which barley predominates and that contains more than 4.0 percent of fungus-damaged and/or mold-damaged barley kernels.

(b) Ergoty mixed grain.

(1) Mixed grain in which rye or wheat predominates and that contains more than 0.30 percent ergot, or

(2) Any other mixed grain that contains more than 0.10 percent ergot.

(c) Garlicky mixed grain.

(1) Mixed grain in which wheat, rye, or triticales predominates, and that contains 2 or more green garlic bulblets, or an equivalent quantity of dry or partly dry bulblets in 1,000 grams of mixed grain; or

(2) Any other mixed grain that contains 4 or more green garlic bulblets, or an equivalent quantity of dry or partly dry bulblets, in 500 grams of mixed grain.

(d) Smutty mixed grain.

(1) Mixed grain in which rye, triticales, or wheat predominates, and that contains 15 or more average size smut balls, or an equivalent quantity of smut spores in 250 grams of mixed grain, or

(2) Any other mixed grain that has the kernels covered with smut spores to give a smutty appearance in mass, or that contains more than 0.2 percent smut balls.

(e) Treated mixed grain. Mixed grain that has been scoured, limed, washed, sulfured, or treated in such a manner that its true quality is not reflected by the grade designation U.S. Mixed Grain or U.S. Sample grade Mixed Grain.



United States
Department of
Agriculture

Federal Grain
Inspection
Service

Official United States Standards for Grain

United States Standards for Oats



SUBPART F - UNITED STATES STANDARDS FOR OATS

Terms Defined

§ 810.1001 Definition of oats.

Grain that consists of 50 percent or more of oats (Avena sativa L. and A. byzantina C. Koch) and may contain, singly or in combination, not more than 25 percent of wild oats and other grains for which standards have been established under the United States Grain Standards Act.

§ 810.1002 Definition of other terms.

(a) Fine seeds. All matter that passes through a 5/64 triangular-hole sieve after sieving according to procedures prescribed in FGIS instructions.

(b) Foreign material. All matter other than oats, wild oats, and other grains.

(c) Heat-damaged kernels. Kernels and pieces of oat kernels, other grains, and wild oats that are materially discolored and damaged by heat.

(d) Other grains. Barley, corn, cultivated buckwheat, einkorn, emmer, flaxseed, guar, hull-less barley, nongrain sorghum, Polish wheat, popcorn, poulard wheat, rice, rye, safflower, sorghum, soybeans, spelt, sunflower seed, sweet corn, triticale, and wheat.

(e) Sieves.

(1) 5/64 triangular-hole sieve. A metal sieve 0.032 inch thick with equilateral triangular perforations the inscribed circles of which are 0.0781 (5/64) inch in diameter.

(2) 0.064 x 3/8 oblong-hole sieve. A metal sieve 0.032 inch thick with oblong perforations 0.064 inch by 0.375 (3/8) inch.

(f) Sound oats. Kernels and pieces of oat kernels (except wild oats) that are not badly ground-damaged, badly weather-damaged, diseased, frost-damaged, germ-damaged, heat-damaged, insect-bored, mold-damaged, sprout-damaged, or otherwise materially damaged.

(g) Wild oats. Seeds of Avena fatua L. and A. sterilis L.

Principles Governing the Application of Standards

§ 810.1003 Basis of determination.

Other determinations not specifically provided for under the general provisions are made on the basis of the grain as a whole.

Grades and Grade Requirements

§ 810.1004 Grades and grade requirements for oats.

Grade	Minimum limits --		:	Maximum limits --	
	Test	Sound	Heat-	Foreign	Wild
	weight	oats	damaged	material	oats
	per		kernels		
	bushel				
	(pounds)	(percent)	(percent)	(percent)	(percent)
U.S. No. 1	36.0	97.0	0.1	2.0	2.0
U.S. No. 2	33.0	94.0	0.3	3.0	3.0
U.S. No. 3 ¹ / ₄	30.0	90.0	1.0	4.0	5.0
U.S. No. 4 ² / ₄	27.0	80.0	3.0	5.0	10.0
U.S. Sample grade					
U.S. Sample grade are oats which:					
(a) Do not meet the requirements for the grades U.S. Nos. 1, 2, 3, or 4; or					
(b) Contain 8 or more stones which have an aggregate weight in excess of 0.2 percent of the sample weight, 2 or more pieces of glass, 3 or more crotalaria seeds (<u>Crotalaria</u> spp.), 2 or more castor beans (<u>Ricinus communis</u> L.), 4 or more particles of an unknown foreign substance(s) or a commonly recognized harmful or toxic substance(s), 8 or more cocklebur (<u>Xanthium</u> spp.) or similar seeds singly or in combination, 10 or more rodent pellets, bird droppings, or equivalent quantity of other animal filth per 1-1/8 to 1-1/4 quarts of oats; or					
(c) Have a musty, sour, or commercially objectionable foreign odor (except smut or garlic odor); or					
(d) Are heating or otherwise of distinctly low quality.					

¹/Oats that are slightly weathered shall be graded not higher than U.S. No. 3.

²/Oats that are badly stained or materially weathered shall be graded not higher than U.S. No. 4.

Special Grades and Special Grade Requirements

§ 810.1005 Special grades and special grade requirements.

(a) Bleached oats. Oats that in whole or in part, have been treated with sulfurous acid or any other bleaching agent.

(b) Bright oats. Oats, except Bleached oats, that are of good natural color.

(c) Ergoty oats. Oats that contain more than 0.10 percent ergot.

(d) Extra-heavy oats. Oats that have a test weight per bushel of 40 pounds or more.

(e) Garlicky oats. Oats that contain 4 or more green garlic bulblets or an equivalent quantity of dry or partly dry bulblets in 500 grams of oats.

(f) Heavy oats. Oats that have a test weight per bushel of 38 pounds or more but less than 40 pounds.

(g) Smutty oats. Oats that have kernels covered with smut spores to give a smutty appearance in mass, or that contain more than 0.2 percent of smut balls.

(h) Thin oats. Oats that contain more than 20.0 percent of oats and other matter, except fine seeds, that pass through a 0.064 x 3/8 oblong-hole sieve but remain on top of a 5/64 triangular-hole sieve after sieving according to procedures prescribed in FGIS instructions.



United States
Department of
Agriculture

Federal Grain
Inspection
Service

Official United States Standards for Grain

United States Standards for Rye



SUBPART G - UNITED STATES STANDARDS FOR RYE

Terms Defined

§ 810.1201 Definition of rye.

Grain that, before the removal of dockage, consists of 50 percent or more of common rye (Secale cereale L.) and not more than 10 percent of other grains for which standards have been established under the United States Grain Standards Act and that, after the removal of dockage, contains 50 percent or more of whole rye.

§ 810.1202 Definition of other terms.

(a) Damaged kernels. Kernels, pieces of rye kernels, and other grains that are badly ground-damaged, badly weather-damaged, diseased, frost-damaged, germ-damaged, heat-damaged, insect-bored, mold-damaged, sprout-damaged, or otherwise materially damaged.

(b) Dockage. All matter other than rye that can be removed from the original sample by use of an approved device in accordance with procedures prescribed in FGIS instructions. Also, underdeveloped, shriveled, and small pieces of rye kernels removed in properly separating the material other than rye and that cannot be recovered by properly rescreening and recleaning.

(c) Foreign material. All matter other than rye that remains in the sample after the removal of dockage.

(d) Heat-damaged kernels. Kernels, pieces of rye kernels, and other grains that are materially discolored and damaged by heat.

(e) Other grains. Barley, corn, cultivated buckwheat, einkorn, emmer, flaxseed, guar, hull-less barley, nongrain sorghum, oats, Polish wheat, popcorn, poulard wheat, rice, safflower, sorghum, soybeans, spelt, sunflower seed, sweet corn, triticale, wheat, and wild oats.

(f) Sieve. 0.064 x 3/8 oblong-hole sieve. A metal sieve 0.032 inch thick with oblong perforations 0.064 by 0.375 (3/8) inch.

(g) Thin rye. Rye and other matter that passes through a 0.064 x 3/8 oblong-hole sieve after sieving according to procedures prescribed in FGIS instructions.

Principles Governing the Application of Standards

§ 810.1203 Basis of determination.

Other determinations not specifically provided for under the general provisions are made on the basis of the grain when free from dockage, except the determination of odor is made on either the basis of the grain as a whole or the grain when free from dockage.

Grades and Grade Requirements

§ 810.1204 Grades and grade requirements for rye.

Grade	Minimum test weight per bushel (pounds)	Maximum limits of --					
		Foreign material			Damaged kernels		
		Foreign matter	other than wheat	Total (percent)	Heat damaged	Total (percent)	Thin Rye (percent)
U.S. No. 1	56.0	1.0		3.0	0.2	2.0	10.0
U.S. No. 2	54.0	2.0		6.0	0.2	4.0	15.0
U.S. No. 3	52.0	4.0		10.0	0.5	7.0	25.0
U.S. No. 4	49.0	6.0		10.0	3.0	15.0	--
U.S. Sample grade							
U.S. Sample grade is rye that:							
(a)	Does not meet the requirements for the grades U.S. Nos. 1, 2, 3, or 4; or						
(b)	Contains 8 or more stones or any number of stones which have an aggregate weight in excess of 0.2 percent of the sample weight, 2 or more pieces of glass, 3 or more crotalaria seeds (<i>Crotalaria spp.</i>), 2 or more castor beans (<i>Ricinus communis L.</i>), 4 or more particles of an unknown foreign substance(s) or a commonly recognized harmful or toxic substance(s), 2 or more rodent pellets, bird droppings, or equivalent quantity of other animal filth per 1-1/8 to 1-1/4 quarts of rye; or						
(c)	Has a musty, sour, or commercially objectionable foreign odor (except smut or garlic odor); or						
(d)	Is heating or otherwise of distinctly low quality.						

Special Grades and Special Grade Requirements

§ 810.1205 Special grades and special grade requirements

- (a) Ergoty rye. Rye that contains more than 0.30 percent of ergot.
- (b) Garlicky rye. Rye that contains in a 1,000 gram portion more than six green garlic bulblets or an equivalent quantity of dry or partly dry bulblets.
- (c) Light garlicky rye. Rye that contains in a 1,000 gram portion two or more, but not more than six, green garlic bulblets or an equivalent quantity of dry or partly dry bulblets.
- (d) Light smutty rye. Rye that has an unmistakable odor of smut, or that contains in a 250 gram portion smut balls, portions of smut balls, or spores of smut in excess of a quantity equal to 14 smut balls but not in excess of a quantity equal to 30 smut balls of average size.
- (e) Plump rye. Rye that contains not more than 5.0 percent of rye and other matter that passes through a 0.064 x 3/8 oblong-hole sieve.
- (f) Smutty rye. Rye that contains in a 250 gram portion smut balls, portions of smut balls, or spores of smut in excess of a quantity equal to 30 smut balls of average size.



United States
Department of
Agriculture

Federal Grain
Inspection
Service

Official United States Standards for Grain

United States Standards for Sorghum



SUBPART H - UNITED STATES STANDARDS FOR SORGHUM

Terms Defined

§ 810.1401 Definition of sorghum.

Grain that, before the removal of dockage, consists of 50 percent or more of whole kernels of sorghum (Sorghum bicolor (L.) Moench) excluding nongrain sorghum and not more than 10.0 percent of other grains for which standards have been established under the United States Grain Standards Act.

§ 810.1402 Definitions of other terms.

(a) Broken kernels. All matter which passes through a 5/64 triangular-hole sieve and over a 2.5/64 round-hole sieve according to procedures prescribed in FGIS instructions.

(b) Broken kernels, foreign material, and other grains. All matter, other than dockage, that passes through a 5/64 triangular-hole sieve after sieving according to procedures prescribed in FGIS instructions and all matter other than sorghum that remains in the sieved sample.

(c) Classes. There are four classes for sorghum: White sorghum, Yellow sorghum, Brown sorghum, and Mixed sorghum.

(1) White sorghum. Sorghum with white or translucent pericarps. Such sorghum containing spots that singly or in combination cover 25.0 percent or less of the kernel is considered as White sorghum. White sorghum will contain not more than 2.0 percent (singly or combined) of kernels of sorghum of other colors.

(2) Yellow sorghum. Sorghum with yellow, salmon-pink, red, white, or translucent pericarps, that contains not more than 10.0 percent of sorghum with brown pericarps or pigmented subcoats, and that does not meet the requirements for the class White sorghum.

(3) Brown sorghum. Sorghum with brown pericarps or pigmented subcoats that contains not more than 10.0 percent of sorghum of other colors.

(4) Mixed sorghum. Sorghum that does not meet the requirements for any of the classes White sorghum, Yellow sorghum, or Brown sorghum.

(d) Damaged kernels. Kernels, pieces of sorghum kernels, and other grains that are badly ground damaged, badly weather damaged, diseased, frost-damaged, germ-damaged, heat-damaged, insect-bored, mold-damaged, sprout-damaged, or otherwise materially damaged.

(e) Dockage. All matter other than sorghum that can be removed from the original sample by use of an approved device according to procedures prescribed in FGIS instructions. Also, underdeveloped, shriveled, and small pieces of sorghum kernels removed in properly separating the material other than sorghum.

(f) Foreign material. All matter except sorghum, which passes over the number 6 riddle and all matter other than sorghum that remains on the top of the 5/64 triangular-hole sieve according to procedures prescribed in FGIS instructions.

(g) Heat-damaged kernels. Kernels, pieces of sorghum kernels, and other grains that are materially discolored and damaged by heat.

(h) Nongrain sorghum. Seeds of broomcorn, Johnson-grass, Sorghum alnum Parodi, sorghum-sudangrass, and sweet sorghum (sorgo).

(i) Other grains. Barley, corn, cultivated buckwheat, einkorn, emmer, flaxseed, guar, hull-less barley, nongrain sorghum, oats, Polish wheat, popcorn, poulard wheat, rice, rye, safflower, soybeans, spelt, sunflower seed, sweet corn, triticale, wheat, and wild oats.

(j) Pericarp. The pericarp is the outer layers of the sorghum grain and is fused to the seedcoat.

(k) Sieves.

(1) 5/64 triangular-hole sieve. A metal sieve 0.032 inch thick with equilateral triangular perforations the inscribed circles of which are 0.0781 (5/64) inch in diameter.

(2) 2.5/64 round-hole sieve. A metal sieve 0.032 inch thick with round holes 0.0391 (2.5/64) inch in diameter.

Principles Governing the Application of Standards

§ 810.1403 Basis of determination.

Each determination of broken kernels, foreign material, and other grains is made on the basis of the grain when free from dockage. Each determination of class, damaged kernels, heat-damaged kernels, and stones is made on the basis of the grain when free from dockage and that portion of the broken kernels, foreign material, and other grains that will pass through a 5/64 triangular-hole sieve. Other determinations not specifically provided for in the general provisions are made on the basis of the grain as a whole except the determination of odor is made on either the basis of the grain as a whole or the grain when free from dockage and broken kernels, foreign material, and other grains removed by the 5/64 triangular-hole sieve.

Grades and Grade Requirements

§ 810.1404 Grades and grade requirements for sorghum

Grade	:	:	:	Maximum limits of --			
				Minimum	Damaged kernels	Broken	
	:	:	:	test	:	:	kernels,
	:	:	:	weight	:	:	foreign
	:	:	:	per	Heat	:	material
	:	:	:	bushel	damaged	:	and other
	:	:	:	(pounds)	(percent)	:	grains
	:	:	:		(percent)	:	(percent)
U.S. No. 1	:	:	:	57.0	0.2	2.0	4.0
U.S. No. 2	:	:	:	55.0	0.5	5.0	8.0
U.S. No. 3 ¹ / ₄	:	:	:	53.0	1.0	10.0	12.0
U.S. No. 4	:	:	:	51.0	3.0	15.0	15.0
U.S. Sample grade							
U.S. Sample grade is sorghum that:							
(a)	Does not meet the requirements for the grades U.S. Nos. 1, 2, 3, or 4;						
	or						
(b)	Contains 8 or more stones which have an aggregate weight in excess of 0.2 percent of the sample weight, 2 or more pieces of glass, 3 or more crotalaria seeds (<u>Crotalaria</u> spp.), 2 or more castor beans (<u>Ricinus communis</u> L.), 4 or more particles of an unknown foreign substance(s) or a commonly recognized harmful or toxic substance(s), 8 or more cocklebur (<u>Xanthium</u> spp.) or similar seeds singly or in combination, 10 or more rodent pellets, bird droppings, or equivalent quantity of other animal filth per 1,000 grams of sorghum; or						
(c)	Has a musty, sour, or commercially objectionable foreign odor (except smut odor); or						
(d)	Is badly weathered, heating, or distinctly low quality.						

¹/Sorghum which is distinctly discolored shall be graded not higher than U.S. No. 3.

Special Grades and Special Grade Requirements

§ 810.1405 Special grades and special grade requirements.

Smutty sorghum. Sorghum that has kernels covered with smut spores to give a smutty appearance in mass, or that contains 20 or more smut balls in 100 grams of sorghum.



United States
Department of
Agriculture

Federal Grain
Inspection
Service

Official United States Standards for Grain

United States Standards for Soybeans



SUBPART I - UNITED STATES STANDARDS FOR SOYBEANS

Terms Defined

§ 810.1601 Definition of soybeans.

Grain that consists of 50 percent or more of whole or broken soybeans (Glycine max (L.) Merr.) that will not pass through an 8/64 round-hole sieve and not more than 10.0 percent of other grains for which standards have been established under the United States Grain Standards Act.

§ 810.1602 Definition of other terms.

(a) Classes. There are two classes for soybeans: Yellow soybeans and Mixed soybeans.

(1) Yellow soybeans. Soybeans that have yellow or green seed coats and which in cross section, are yellow or have a yellow tinge, and may include not more than 10.0 percent of soybeans of other colors.

(2) Mixed soybeans. Soybeans that do not meet the requirements of the class Yellow soybeans.

(b) Damaged kernels. Soybeans and pieces of soybeans that are badly ground-damaged, badly weather-damaged, diseased, frost-damaged, germ-damaged, heat-damaged, insect-bored, mold-damaged, sprout-damaged, stinkbug-stung, or otherwise materially damaged. Stinkbug-stung kernels are considered damaged kernels at the rate of one-fourth of the actual percentage of the stung kernels.

(c) Foreign material. All matter that passes through an 8/64 round-hole sieve and all matter other than soybeans remaining in the sieved sample after sieving according to procedures prescribed in FGIS instructions.

(d) Heat-damaged kernels. Soybeans and pieces of soybeans that are materially discolored and damaged by heat.

(e) Purple mottled or stained. Soybeans that are discolored by the growth of a fungus; or by dirt; or by a dirt-like substance(s) including nontoxic inoculants; or by other nontoxic substances.

(f) Sieve. 8/64 round-hole sieve. A metal sieve 0.032 inch thick perforated with round holes 0.125 (8/64) inch in diameter.

(g) Soybeans of other colors. Soybeans that have green, black, brown, or bicolored seed coats. Soybeans that have green seed coats will also be green in cross section. Bicolored soybeans will have seed coats of two colors, one of which is brown or black, and the brown or black color covers 50 percent of the seed coats. The hilum of a soybean is not considered a part of the seed coat for this determination.

(h) Splits. Soybeans with more than 1/4 of the bean removed and that are not damaged.

Principles Governing the Application of Standards

§ 810.1603 Basis of determination.

Each determination of class, heat-damaged kernels, damaged kernels, splits, and soybeans of other colors is made on the basis of the grain when free from foreign material. Other determinations not specifically provided for under the general provisions are made on the basis of the grain as a whole.

Grades and Grade Requirements

§ 810.1604 Grades and grade requirements for soybeans.

Grade	Maximum limits of --									
	Minimum test weight per bushel (pounds)	Damaged kernels				Foreign material				Soybeans of other colors
		Heat damaged (percent)	Total (percent)	(percent)	(percent)	Total (percent)	(percent)	Splits (percent)	(percent)	
U.S. No. 1	56.0	0.2	2.0	:	1.0	10.0	:	1.0	:	
U.S. No. 2	54.0	0.5	3.0	:	2.0	20.0	:	2.0	:	
U.S. No. 3 ¹ / ₄	52.0	1.0	5.0	:	3.0	30.0	:	5.0	:	
U.S. No. 4 ² / ₄	49.0	3.0	8.0	:	5.0	40.0	:	10.0	:	
U.S. Sample grade										
U.S. Sample grade is soybeans that:										
(a) Do not meet the requirements for U.S. Nos. 1, 2, 3, or 4; or										
(b) Contain 8 or more stones which have an aggregate weight in excess of 0.2 percent of the sample weight, 2 or more pieces of glass, 3 or more <u>Crotalaria</u> seeds (<u>Crotalaria</u> spp.), 2 or more castor beans (<u>Ricinus communis</u> L.), 4 or more particles of an unknown foreign substance(s) or a commonly recognized harmful or toxic substance(s), 10 or more rodent pellets, bird droppings, or equivalent quantity of other animal filth per 1,000 grams of soybeans; or										
(c) Have a musty, sour, or commercially objectionable foreign odor (except garlic odor); or										
(d) Are heating or otherwise of distinctly low quality.										

¹/Soybeans that are purple mottled or stained are graded not higher than U.S. No. 3.

²/Soybeans that are materially weathered are graded not higher than U.S. No. 4.

Special Grades and Special Grade Requirements

§ 810.1605 Special grades and special grade requirements.

Garlicky soybeans. Soybeans that contain 5 or more green garlic bulblets or an equivalent quantity of dry or partly dry bulblets in a 1,000 gram portion.



United States
Department of
Agriculture

Federal Grain
Inspection
Service

Official United States Standards for Grain

United States Standards for Sunflower Seed



SUBPART J - UNITED STATES STANDARDS FOR SUNFLOWER SEED

Terms Defined

§ 810.1801 Definition of sunflower seed.

Grain that, before the removal of foreign material, consists of 50.0 percent or more of cultivated sunflower seed (Helianthus annuus L.) and not more than 10.0 percent of other grains for which standards have been established under the United States Grain Standards Act.

§ 810.1802 Definition of other terms.

(a) Cultivated sunflower seed. Sunflower seed grown for oil content. The term seed in this and other definitions related to sunflower seed refers to both the kernel and hull which is a fruit or achene.

(b) Damaged sunflower seed. Seed and pieces of sunflower seed that are badly ground-damaged, badly weather-damaged, diseased, frost-damaged, heat-damaged, mold-damaged, sprout-damaged, or otherwise materially damaged.

(c) Dehulled seed. Sunflower seed that has the hull completely removed from the sunflower kernel.

(d) Foreign material. All matter other than whole sunflower seeds containing kernels that can be removed from the original sample by use of an approved device and by handpicking a portion of the sample according to procedures prescribed in FGIS instructions.

(e) Heat-damaged sunflower seed. Seed and pieces of sunflower seed that are materially discolored and damaged by heat.

(f) Hull (Husk). The ovary wall of the sunflower seed.

(g) Kernel. The interior contents of the sunflower seed that are surrounded by the hull.

Principles Governing the Application of Standards

§ 810.1803 Basis of Determination.

Each determination of heat-damaged kernels, damaged kernels, test weight per bushel, and dehulled seed is made on the basis of the grain when free from foreign material. Other determinations not specifically provided for in the general provisions are made on the basis of the grain as a whole, except the determination of odor is made on either the basis of the grain as a whole or the grain when free from foreign material.

Grades and Grade Requirements

§ 810.1804 Grades and grade requirements for sunflower seed.

Grade	Maximum limits of ---					
	Minimum	Damaged				Dehulled
	test weight	Sunflower Seed				seed
	per bushel	Heat	Damaged	Total		
	(pounds)	(percent)	(percent)	(percent)		(percent)
U.S. No. 1	25.0	0.5		5.0		5.0
U.S. No. 2	25.0	1.0		10.0		5.0
U.S. Sample grade						
U.S. Sample grade is sunflower seed that:						
(a)	Does not meet the requirements for the grades U.S. Nos. 1 or 2; or					
(b)	Contains 8 or more stones which have an aggregate weight in excess of 0.20 percent of the sample weight, 2 or more pieces of glass, 3 or more crotalaria seeds (<i>Crotalaria</i> spp.), 2 or more castor beans (<i>Ricinus communis</i> L.), 4 or more particles of an unknown foreign substance(s), or a commonly recognized harmful or toxic substance(s), 10 or more rodent pellets, bird droppings, or equivalent quantity of other animal filth per 600 grams of sunflower seed; or					
(c)	Has a musty, sour, or commercially objectionable foreign odor; or					
(d)	Is heating or otherwise of distinctly low quality.					



United States
Department of
Agriculture

Federal Grain
Inspection
Service

Official United States Standards for Grain

United States Standards for Triticale



SUBPART K - UNITED STATES STANDARDS FOR TRITICALE

Terms Defined

§ 810.2001 Definition of triticales.

Grain that, before the removal of dockage, consists of 50 percent or more of triticales (~~X~~ Triticosecale Wittmack) and not more than 10 percent of other grains for which standards have been established under the United States Grain Standards Act and that, after the removal of dockage, contains 50 percent or more of whole triticales.

§ 810.2002 Definition of other terms.

(a) Damaged kernels. Kernels, pieces of triticales kernels, and other grains that are badly ground-damaged, badly weather-damaged, diseased, frost-damaged, germ-damaged, heat-damaged, insect-bored, mold-damaged, sprout-damaged, or otherwise materially damaged.

(b) Defects. Damaged kernels, foreign material, and shrunken and broken kernels. The sum of these three factors may not exceed the limit for the factor defects for each numerical grade.

(c) Dockage. All matter other than triticales that can be removed from the original sample by use of an approved device according to procedures prescribed in FGIS instructions. Also, underdeveloped, shriveled, and small pieces of triticales kernels removed in properly separating the material other than triticales and that cannot be recovered by properly rescreening or recleaning.

(d) Foreign material. All matter other than triticales.

(e) Heat-damaged kernels. Kernels, pieces of triticales kernels, and other grains that are materially discolored and damaged by heat.

(f) Other grains. Barley, corn, cultivated buckwheat, einkorn, emmer, flaxseed, guar, hull-less barley, nongrain sorghum, oats, Polish wheat, popcorn, poulard wheat, rice, rye, safflower, sorghum, soybeans, spelt, sunflower seed, sweet corn, wheat, and wild oats.

(g) Shrunken and broken kernels. All matter that passes through a 0.064 x 3/8 oblong-hole sieve after sieving according to procedures prescribed in FGIS instructions.

(h) Sieve. 0.064 x 3/8 oblong-hole sieve. A metal sieve 0.032 inch thick with oblong perforations 0.064 inch by 0.375 (3/8) inch.

Principles Governing the Application of Standards

§ 810.2003 Basis of determination.

Each determination of heat-damaged kernels, damaged kernels, material other than wheat and rye, and foreign material (total) is made on the basis of the grain when free from dockage and shrunken and broken kernels. Other determinations not specifically provided for under the general provisions are made on the basis of the grain when free from dockage except the determination of odor is made on either the basis of the grain as a whole or the grain when free from dockage.

Grades and Grade Requirements

§ 810.2004 Grades and grade requirements for triticale.

Grade	Maximum limits of --									
	Minimum		Damaged Kernels		Foreign material					
	test				Material		Shrunken			
	weight		Heat		other		and			
	per		damaged	Total ₁	than	Total ₂	broken			Defects ₃
	bushel				wheat		kernels			
					or rye					
	(pounds)	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)
U.S. No. 1	48.0		0.2	2.0	1.0	2.0	5.0			5.0
U.S. No. 2	45.0		0.2	4.0	2.0	4.0	8.0			8.0
U.S. No. 3	43.0		0.5	8.0	3.0	7.0	12.0			12.0
U.S. No. 4	41.0		3.0	15.0	4.0	10.0	20.0			20.0
U.S. Sample grade										
U.S. Sample grade is triticale that:										
(a) Does not meet the requirements for the grades U.S. Nos. 1, 2, 3, or 4; or										
(b) Contains 8 or more stones or any number of stones which have an aggregate weight in excess of 0.2 percent of the sample weight, 2 or more pieces of glass, 3 or more crotalaria seeds (<i>Crotalaria</i> spp.), 2 or more castor beans (<i>Ricinus communis</i> L.), 4 or more particles of an unknown foreign substance(s) or a commonly recognized harmful or toxic substance(s), 2 or more rodent pellets, bird droppings, or equivalent quantity of other animal filth per 1-1/8 to 1-1/4 quarts of triticale; or										
(c) Has a musty, sour, or commercially objectionable foreign odor (except smut or garlic odor); or										
(d) Is heating or otherwise of distinctly low quality.										

₁/Includes heat-damaged kernels.

₂/Includes material other than wheat or rye.

₃/Defects include damaged kernels (total), foreign material (total) and shrunken and broken kernels. The sum of these three factors may not exceed the limit for defects for each numerical grade.

Special Grades and Special Grade Requirements

§ 810.2005 Special grades and special grade requirements.

(a) Ergoty triticales. Triticales that contains more than 0.10 percent of ergot.

(b) Garlicky triticales. Triticales that contains in a 1,000 gram portion more than six green garlic bulblets or an equivalent quantity of dry or partly dry bulblets.

(c) Light garlicky triticales. Triticales that contains in a 1,000 gram portion two or more, but not more than six, green garlic bulblets or an equivalent quantity of dry or partly dry bulblets.

(d) Light smutty triticales. Triticales that has an unmistakable odor of smut, or that contains in a 250 gram portion smut balls, portions of smut balls, or spores of smut in excess of a quantity equal to 14 smut balls, but not in excess of a quantity equal to 30 smut balls of average size.

(e) Smutty triticales. Triticales that contains in a 250 gram portion smut balls, portions of smut balls, or spores of smut in excess of a quantity equal to 30 smut balls of average size.



United States
Department of
Agriculture

Federal Grain
Inspection
Service

Official United States Standards for Grain

United States Standards for Wheat



SUBPART L - UNITED STATES STANDARDS FOR WHEAT

Terms Defined

§ 810.2201 Definition of wheat.

Grain that, before the removal of dockage, consists of 50 percent or more common wheat (Triticum aestivum L.), club wheat (T. compactum Host.), and durum wheat (T. durum Desf.) and not more than 10 percent of other grains for which standards have been established under the United States Grain Standards Act and that, after the removal of the dockage, contains 50 percent or more of whole kernels of one or more of these wheats.

§ 810.2202 Definition of other terms.

(a) Classes. There are seven classes for wheat: Durum wheat, Hard Red Spring wheat, Hard Red Winter wheat, Soft Red Winter wheat, White wheat, Unclassed wheat, and Mixed wheat.

(1) Durum wheat. All varieties of white (amber) durum wheat. This class is divided into the following three subclasses:

(i) Hard Amber Durum wheat. Durum wheat with 75 percent or more of hard and vitreous kernels of amber color.

(ii) Amber Durum wheat. Durum wheat with 60 percent or more but less than 75 percent of hard and vitreous kernels of amber color.

(iii) Durum wheat. Durum wheat with less than 60 percent of hard and vitreous kernels of amber color.

(2) Hard Red Spring wheat. All varieties of Hard Red Spring wheat. This class shall be divided into the following three subclasses:

(i) Dark Northern Spring wheat. Hard Red Spring wheat with 75 percent or more of dark, hard, and vitreous kernels.

(ii) Northern Spring wheat. Hard Red Spring wheat with 25 percent or more but less than 75 percent of dark, hard, and vitreous kernels.

(iii) Red Spring wheat. Hard Red Spring wheat with less than 25 percent of dark, hard, and vitreous kernels.

(3) Hard Red Winter wheat. All varieties of Hard Red Winter wheat. There are no subclasses in this class.

(4) Soft Red Winter wheat. All varieties of Soft Red Winter wheat. There are no subclasses in this class.

(5) White wheat. All varieties of white wheat. This class is divided into the following four subclasses:

(i) Hard White wheat. White wheat with 75 percent or more of hard kernels. It may contain not more than 10 percent of white club wheat.

(ii) Soft White wheat. White wheat with less than 75 percent of hard kernels. It may contain not more than 10 percent of white club wheat.

(iii) White Club wheat. White club wheat containing not more than 10 percent of other White wheat.

(iv) Western White wheat. White wheat containing more than 10 percent of white club wheat and more than 10 percent of other white wheat.

(6) Unclassed wheat. Any variety of wheat that is not classifiable under other criteria provided in the wheat standards. There are no subclasses in this class. This class includes:

(i) Red durum wheat.

(ii) Any wheat which is other than red or white in color.

(7) Mixed wheat. Any mixture of wheat that consists of less than 90 percent of one class and more than 10 percent of one other class, or a combination of classes that meet the definition of wheat.

(b) Contrasting classes. Contrasting classes are:

(1) Durum wheat, White wheat, and Unclassed wheat in the classes Hard Red Spring wheat and Hard Red Winter wheat.

(2) Hard Red Spring wheat, Hard Red Winter wheat, Soft Red Winter wheat, White wheat, and Unclassed wheat in the class Durum wheat.

(3) Durum wheat and Unclassed wheat in the class Soft Red Winter wheat.

(4) Hard Red Spring wheat, Durum wheat, Hard Red Winter wheat, and Unclassed wheat in the class White wheat.

(c) Damaged kernels. Kernels, pieces of wheat kernels, and other grains that are badly ground-damaged, badly weather-damaged,

diseased, frost-damaged, germ-damaged, heat-damaged, insect-bored, mold-damaged, sprout-damaged, or otherwise materially damaged.

(d) Defects. Damaged kernels, foreign material, and shrunken and broken kernels. The sum of these three factors may not exceed the limit for the factor defects for each numerical grade.

(e) Dockage. All matter other than wheat that can be removed from the original sample by use of an approved device according to procedures prescribed in FGIS instructions. Also, underdeveloped, shriveled, and small pieces of wheat kernels removed in properly separating the material other than wheat and that cannot be recovered by properly rescreening or recleaning.

(f) Foreign material. All matter other than wheat that remains in the sample after the removal of dockage and shrunken and broken kernels.

(g) Heat-damaged kernels. Kernels, pieces of wheat kernels, and other grains that are materially discolored and damaged by heat which remain in the sample after the removal of dockage and shrunken and broken kernels.

(h) Other grains. Barley, corn, cultivated buckwheat, einkorn, emmer, flaxseed, guar, hull-less barley, nongrain sorghum, oats, Polish wheat, popcorn, poulard wheat, rice, rye, safflower, sorghum, soybeans, spelt, sunflower seed, sweet corn, triticale, and wild oats.

(i) Shrunken and broken kernels. All matter that passes through a 0.064 x 3/8 oblong-hole sieve after sieving according to procedures prescribed in the FGIS instructions.

(j) Sieve. 0.064 x 3/8 oblong-hole sieve. A metal sieve 0.032 inch thick with oblong perforations 0.064 inch by 0.375 (3/8) inch.

Principles Governing the Application of Standards

§ 810.2203 Basis of determination.

Each determination of heat-damaged kernels, damaged kernels, foreign material, wheat of other classes, contrasting classes, and subclasses is made on the basis of the grain when free from dockage and shrunken and broken kernels. Other determinations not specifically provided for under the general provisions are made on the basis of the grain when free from dockage, except the determination of odor is made on either the basis of the grain as a whole or the grain when free from dockage.

Grades and Grade Requirements

§ 810.2204 Grades and grade requirements.

(a) Grades and grade requirements for all classes of wheat, except Mixed wheat.

Grade	Minimum limits of --		Maximum limits of --									
	Test weight per bushel	Damaged kernels										Wheat of other classes ^{4/}
U.S. No. 1	58.0	0.2	2.0	0.5	3.0	3.0	1.0	3.0				
U.S. No. 2	57.0	0.2	4.0	1.0	5.0	5.0	2.0	5.0				
U.S. No. 3	55.0	0.5	7.0	2.0	8.0	8.0	3.0	8.0				
U.S. No. 4	53.0	1.0	10.0	3.0	12.0	12.0	10.0	10.0				
U.S. No. 5	50.0	3.0	15.0	5.0	20.0	20.0	10.0	10.0				
U.S. Sample grade												
U.S. Sample grade is wheat that:												
(a)	Does not meet the requirements for the grades U.S. Nos. 1, 2, 3, 4, or 5; or											
(b)	Contains 32 or more insect-damaged kernels per 100 grams of wheat, or											
(c)	Contains 8 or more stones or any number of stones which have an aggregate weight in excess of 0.2 percent of the sample weight, 2 or more pieces of glass, 3 or more crotalaria seeds (<i>Crotalaria spp.</i>), 2 or more castor beans (<i>Ricinus communis</i> L.), 4 or more particles of an unknown foreign substance(s) or a commonly recognized harmful or toxic substance(s), 2 or more rodent pellets, bird droppings, or equivalent quantity of other animal filth per 1,000 grams of wheat; or											
(d)	Has a musty, sour, or commercially objectionable foreign odor (except smut or garlic odor); or											
(e)	Is heating or otherwise of distinctly low quality.											

- ^{1/}These requirements also apply when Hard Red Spring wheat or White Club wheat predominate in a sample of Mixed wheat.
- ^{2/}Includes heat-damaged kernels.
- ^{3/}Defects include damaged kernels (total), foreign material, and shrunk and broken kernels. The sum of these three factors may not exceed the limit for defects for each numerical grade.
- ^{4/}Unclassed wheat of any grade may contain not more than 10.0 percent of wheat of other classes.
- ^{5/}Includes contrasting classes.

(b) Grades and grade requirements for Mixed wheat.

Mixed Wheat is graded according to the U.S. numerical and U.S. Sample grade requirements of the class of wheat that predominates in the mixture, except that the factor wheat of other classes is disregarded.

Special Grades and Special Grade Requirements

§ 810.2205 Special grades and special grade requirements.

(a) Ergoty wheat. Wheat that contains more than 0.30 percent of ergot.

(b) Garlicky wheat. Wheat that contains in a 1,000 gram portion more than two green garlic bulblets or an equivalent quantity of dry or partly dry bulblets.

(c) Light smutty wheat. Wheat that has an unmistakable odor of smut, or which contains in a 250 gram portion, smut balls, portions of smut balls, or spores of smut in excess of a quantity equal to 14 smut balls, but not in excess of a quantity equal to 30 smut balls of average size.

(d) Smutty wheat. Wheat that contains, in a 250 gram portion, smut balls, portions of smut balls, or spores of smut in excess of a quantity equal to 30 smut balls of average size.

(e) Treated wheat. Wheat that has been scoured, limed, washed, sulfured, or treated in such a manner that the true quality is not reflected by either the numerical grades or the U.S. Sample grade designation alone.


NATIONAL AGRICULTURAL LIBRARY



1022415302

Handwritten signature or mark in blue ink.

NATIONAL AGRICULTURAL LIBRARY



1022415302